

DS-KC001

Video Intercom Monitoring Tablet

- 7-inch Color Touchscreen with 1024 × 600 Resolution
- Remote Temperature Screening and Records Checking, Real-Time Preview
- Centralized Data Management, 100,000 Records Maximum
- Abnormal Temperature Alarm
- Remote Unlocking through Local Interface and Video Intercom

Hikvision's DS-KC001 Video Intercom Monitoring Tablet provides a 7-inch touchscreen interface to monitor Hikvision's video intercom system.

It can handle up to 100,000 records and provides remote access unlocking through the local interface and temperature screening, as well as the video intercom function (for the DS-K1T671TM-3XF only).




Available Model
DS-KC001

Specifications


DS-KC001	
System	
Memory	1 GB
Flash	4 GB
Operating System	Android 5.1
Display	
Display Screen	7-inch color TFT touch screen
Display Resolution	1024 × 600
Operation Method	Capacitive touch screen
Brightness	Adjustable
Audio	
Audio Input	Built-in omnidirectional microphone
Audio Output	Built-in loudspeaker
Volume	Adjustable
Consumption	0.5 W
Audio Compression Standard	G.711 U, G.711 A
Audio Compression Rate	64 Kbps
Audio Quality	Noise suppression and echo cancellation
Network	
Wired Network	10/100 Mbps self-adaptive
Wireless Network	Wi-Fi 802.11 b/g/n
Network Protocol	TCP/IP, Private SIP, RTSP
Interfaces	
Network Port	RJ-45
RS-485	1
Alarm in	8
Memory Card	Built-in 32 GB microSD card
Debugging Port	1
General	
Power Supply	12 VDC (power supply included)
Power Consumption	≤5 W
Working Temperature	14° to 122° F (-10° to 50° C)
Storage Temperature	-4° to 140° F (-20° to 60° C)
Working Humidity	10% to 90% non-condensing
Storage Humidity	0% to 95% non-condensing
Dimensions	7.87" × 5.51" × 0.61" (200 mm × 140 mm × 15.5 mm)
Weight (w/o package)	15 oz (419.3 g)
Desk Stand	Included
Approvals	
CE-EMC	a. EN 55032:2015 b. EN 61000-3-2:2014 c. EN 61000-3-3:2013 d. EN 50130-4:2011 +A1:2014
CE-LVD	EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013
CE-RED	a. EN 201 489-1 V2.1.1, EN 301 489-17 V3.1.1 b. EN 300 328 V2.1.1, EN 62311:2008
FCC-SDOC	47 CFR Part 15, Subpart B
FCC-ID	47 CFR Part 15, Subpart B
UL	UL 60950-1 and CAN/CSA C22.2 No. 60950-1-07, Information Technology Equipment – Safety – Part 1: General Requirements

Dimensions



Interfaces

No.	Description	No.	Description
1	Display Screen	5	Loudspeaker
2	Microphone	6	Alarm Terminals
3	Debugging Port	7	Power Interface
4	Network Interface		



Accessories

